



Adobe

2016 年トップ 10 リスト

Dr Ken Lunde | Sr Computer Scientist 2 | CJKV Type Development | Adobe Systems Incorporated

@ken_lunde | @CJKType | @IVD_Registrar

2016 Top Ten List: *Why Support Beyond-BMP Code Points?*

01—

02—

03—

04—

05—

06—

07—

08—

09—

10—

2016 Top Ten List: *Why Support Beyond-BMP Code Points?*

01—

02—

03—

04—

05—

06—

07—

08—

09—

10—Japan's 2,136 *Jōyō Kanji* requires one Extension B ideograph

2016 Top Ten List: *Why Support Beyond-BMP Code Points?*

01—

02—

03—

04—

05—

06—

07—

08—

09—JIS X 0213:2004 requires 303 Extension B ideographs

10—Japan's 2,136 *Jōyō Kanji* requires one Extension B ideograph

2016 Top Ten List: *Why Support Beyond-BMP Code Points?*

01—

02—

03—

04—

05—

06—

07—

08—GB 18030 certification without PUA requires six Extension B ideographs

09—JIS X 0213:2004 requires 303 Extension B ideographs

10—Japan's 2,136 *Jōyō Kanji* requires one Extension B ideograph

2016 Top Ten List: *Why Support Beyond-BMP Code Points?*

01—

02—

03—

04—

05—

06—

07—China's 通用规范汉字表 requires 196 Extension B thru E ideographs

08—GB 18030 certification without PUA requires six Extension B ideographs

09—JIS X 0213:2004 requires 303 Extension B ideographs

10—Japan's 2,136 *Jōyō Kanji* requires one Extension B ideograph

2016 Top Ten List: *Why Support Beyond-BMP Code Points?*

01—

02—

03—

04—

05—

06—**Hong Kong SCS-2008 requires 1,715 Plane 2 ideographs**

07—China's 通用规范汉字表 requires 196 Extension B thru E ideographs

08—GB 18030 certification without PUA requires six Extension B ideographs

09—JIS X 0213:2004 requires 303 Extension B ideographs

10—Japan's 2,136 *Jōyō Kanji* requires one Extension B ideograph

2016 Top Ten List: *Why Support Beyond-BMP Code Points?*

01—

02—

03—

04—

05—**IVS support requires the 240 VSes in Plane 14**

06—Hong Kong SCS-2008 requires 1,715 Plane 2 ideographs

07—China's 通用规范汉字表 requires 196 Extension B thru E ideographs

08—GB 18030 certification without PUA requires six Extension B ideographs

09—JIS X 0213:2004 requires 303 Extension B ideographs

10—Japan's 2,136 *Jōyō Kanji* requires one Extension B ideograph

2016 Top Ten List: *Why Support Beyond-BMP Code Points?*

01—

02—

03—

04—**As of Unicode Version 6.0, there are more characters outside the BMP**

05—IVS support requires the 240 VSes in Plane 14

06—Hong Kong SCS-2008 requires 1,715 Plane 2 ideographs

07—China's 通用规范汉字表 requires 196 Extension B thru E ideographs

08—GB 18030 certification without PUA requires six Extension B ideographs

09—JIS X 0213:2004 requires 303 Extension B ideographs

10—Japan's 2,136 *Jōyō Kanji* requires one Extension B ideograph

2016 Top Ten List: *Why Support Beyond-BMP Code Points?*

01—

02—

03—**Modern OSes and applications support code points outside the BMP**

04—As of Unicode Version 6.0, there are more characters outside the BMP

05—IVS support requires the 240 VSes in Plane 14

06—Hong Kong SCS-2008 requires 1,715 Plane 2 ideographs

07—China's 通用规范汉字表 requires 196 Extension B thru E ideographs

08—GB 18030 certification without PUA requires six Extension B ideographs

09—JIS X 0213:2004 requires 303 Extension B ideographs

10—Japan's 2,136 *Jōyō Kanji* requires one Extension B ideograph

2016 Top Ten List: *Why Support Beyond-BMP Code Points?*

01—

02—**Almost all *emoji*—and all new ones—are encoded in Plane 1**

03—Modern OSes and applications support code points outside the BMP

04—As of Unicode Version 6.0, there are more characters outside the BMP

05—IVS support requires the 240 VSes in Plane 14

06—Hong Kong SCS-2008 requires 1,715 Plane 2 ideographs

07—China's 通用规范汉字表 requires 196 Extension B thru E ideographs

08—GB 18030 certification without PUA requires six Extension B ideographs

09—JIS X 0213:2004 requires 303 Extension B ideographs

10—Japan's 2,136 *Jōyō Kanji* requires one Extension B ideograph

2016 Top Ten List: *Why Support Beyond-BMP Code Points?*

01—The BMP is effectively full

02—Almost all *emoji*—and all new ones—are encoded in Plane 1

03—Modern OSes and applications support code points outside the BMP

04—As of Unicode Version 6.0, there are more characters outside the BMP

05—IVS support requires the 240 VSes in Plane 14

06—Hong Kong SCS-2008 requires 1,715 Plane 2 ideographs

07—China's 通用规范汉字表 requires 196 Extension B thru E ideographs

08—GB 18030 certification without PUA requires six Extension B ideographs

09—JIS X 0213:2004 requires 303 Extension B ideographs

10—Japan's 2,136 *Jōyō Kanji* requires one Extension B ideograph

2016 Top Ten List: *Why Support Beyond-BMP Code Points?*

- 01—The BMP is effectively full
- 02—Almost all *emoji*—and all new ones—are encoded in Plane 1
- 03—Modern OSes and applications support code points outside the BMP
- 04—As of Unicode Version 6.0, there are more characters outside the BMP
- 05—IVS support requires the 240 VSes in Plane 14
- 06—Hong Kong SCS-2008 requires 1,715 Plane 2 ideographs
- 07—China's 通用规范汉字表 requires 196 Extension B thru E ideographs
- 08—GB 18030 certification without PUA requires six Extension B ideographs
- 09—JIS X 0213:2004 requires 303 Extension B ideographs
- 10—Japan's 2,136 *Jōyō Kanji* requires one Extension B ideograph

2016 Top Ten List: *Reasons To Abandon Shift-JIS Encoding*

01—

02—

03—

04—

05—

06—

07—

08—

09—

10—

2016 Top Ten List: *Reasons To Abandon Shift-JIS Encoding*

01—

02—

03—

04—

05—

06—

07—

08—

09—

10—Shift-JIS supports only 11,280 code points

2016 Top Ten List: *Reasons To Abandon Shift-JIS Encoding*

01—

02—

03—

04—

05—

06—

07—

08—

09—Non-full-width Latin support is limited to ASCII (JIS X 0201)

10—Shift-JIS supports only 11,280 code points

2016 Top Ten List: *Reasons To Abandon Shift-JIS Encoding*

01—

02—

03—

04—

05—

06—

07—

08—**Only JIS X 0208 is supported**

09—Non–full-width Latin support is limited to ASCII (JIS X 0201)

10—Shift-JIS supports only 11,280 code points

2016 Top Ten List: *Reasons To Abandon Shift-JIS Encoding*

01—

02—

03—

04—

05—

06—

07—**Conflicting OS-specific definitions of Shift-JIS**

08—Only JIS X 0208 is supported

09—Non–full-width Latin support is limited to ASCII (JIS X 0201)

10—Shift-JIS supports only 11,280 code points

2016 Top Ten List: *Reasons To Abandon Shift-JIS Encoding*

01—

02—

03—

04—

05—

06—Four *Jōyō Kanji*—填剥叱頬—are not supported by Shift-JIS

07—Conflicting OS-specific definitions of Shift-JIS

08—Only JIS X 0208 is supported

09—Non–full-width Latin support is limited to ASCII (JIS X 0201)

10—Shift-JIS supports only 11,280 code points

2016 Top Ten List: *Reasons To Abandon Shift-JIS Encoding*

01—

02—

03—

04—

05—**107 *Jinmei-yō Kanji* are not supported by Shift-JIS**

06—Four *Jōyō Kanji*—塙剝叱頬—are not supported by Shift-JIS

07—Conflicting OS-specific definitions of Shift-JIS

08—Only JIS X 0208 is supported

09—Non–full-width Latin support is limited to ASCII (JIS X 0201)

10—Shift-JIS supports only 11,280 code points

2016 Top Ten List: *Reasons To Abandon Shift-JIS Encoding*

01—

02—

03—

04—**Relatively small (2,444 code points) user-defined range**

05—107 *Jinmei-yō Kanji* are not supported by Shift-JIS

06—Four *Jōyō Kanji*—**填剥叱頬**—are not supported by Shift-JIS

07—Conflicting OS-specific definitions of Shift-JIS

08—Only JIS X 0208 is supported

09—Non–full-width Latin support is limited to ASCII (JIS X 0201)

10—Shift-JIS supports only 11,280 code points

2016 Top Ten List: *Reasons To Abandon Shift-JIS Encoding*

01—

02—

03—Unicode, not Shift-JIS, is supported by default in OpenType

04—Relatively small (2,444 code points) user-defined range

05—107 *Jinmei-yō Kanji* are not supported by Shift-JIS

06—Four *Jōyō Kanji*—塙剝叱頬—are not supported by Shift-JIS

07—Conflicting OS-specific definitions of Shift-JIS

08—Only JIS X 0208 is supported

09—Non–full-width Latin support is limited to ASCII (JIS X 0201)

10—Shift-JIS supports only 11,280 code points

2016 Top Ten List: *Reasons To Abandon Shift-JIS Encoding*

01—

02—**JIS X 0213 defines a Shift-JIS implementation, but is unused**

03—Unicode, not Shift-JIS, is supported by default in OpenType

04—Relatively small (2,444 code points) user-defined range

05—107 *Jinmei-yō Kanji* are not supported by Shift-JIS

06—Four *Jōyō Kanji*—*填剝叱頬*—are not supported by Shift-JIS

07—Conflicting OS-specific definitions of Shift-JIS

08—Only JIS X 0208 is supported

09—Non–full-width Latin support is limited to ASCII (JIS X 0201)

10—Shift-JIS supports only 11,280 code points

2016 Top Ten List: *Reasons To Abandon Shift-JIS Encoding*

- 01—By clinging to Shift-JIS, you hamper Unicode-based environments
- 02—JIS X 0213 defines a Shift-JIS implementation, but is unused
- 03—Unicode, not Shift-JIS, is supported by default in OpenType
- 04—Relatively small (2,444 code points) user-defined range
- 05—107 *Jinmei-yō Kanji* are not supported by Shift-JIS
- 06—Four *Jōyō Kanji*—塙剝叱頬—are not supported by Shift-JIS
- 07—Conflicting OS-specific definitions of Shift-JIS
- 08—Only JIS X 0208 is supported
- 09—Non–full-width Latin support is limited to ASCII (JIS X 0201)
- 10—Shift-JIS supports only 11,280 code points

2016 Top Ten List: *Reasons To Abandon Shift-JIS Encoding*

- 01—By clinging to Shift-JIS, you hamper Unicode-based environments
- 02—JIS X 0213 defines a Shift-JIS implementation, but is unused
- 03—Unicode, not Shift-JIS, is supported by default in OpenType
- 04—Relatively small (2,444 code points) user-defined range
- 05—107 *Jinmei-yō Kanji* are not supported by Shift-JIS
- 06—Four *Jōyō Kanji*—*填剝叱頬*—are not supported by Shift-JIS
- 07—Conflicting OS-specific definitions of Shift-JIS
- 08—Only JIS X 0208 is supported
- 09—Non–full-width Latin support is limited to ASCII (JIS X 0201)
- 10—Shift-JIS supports only 11,280 code points



Adobe